



Drilling Services Nitrogen Supply and Injection



WE ARE A SUPPORT COMPANY TO PETROLEUM INDUSTRY SERVICES

We are providers of flexible and creative technical solutions, to support the value creation of our clients through services of:

Nitrogen (N₂), Rotary heads, High Pressure Units, High Pressure Pipelines, for the offshore market and recently in Mexico land fields.

We are committed to being
an excellence team

To ensure the achievement of each service that generate wealth, working everyday with passion, effectiveness and professionalism to support the value creation of our clients through innovating high-quality services.

DRILLING SERVICES

In drilling services,
we have:

- Single and Double High-Pressure Unit.
- Rotary heads and MPD.
- Baskets and connectors rental.
- **SPRAO** Surface Control Lines, temporal and permanent downspouts.
- Pipeline and Chiksan (**1502, 602 and 206**) in 2", 3" and 4" accessories.
- Spacer spool and adapters.



Hammer Unions are manufactured according to the requirements of the service in different diameters, with capacities up to **20,000 PSI** of working pressure. Unions for nitrogen gas or acid fluid service are manufactured in accordance with **NACE MR-01-75** and **API RP-14E**. Our lines and accessories have traceability and maintenance to guarantee safety in operations.

OUR COMPANY HAS A WIDE INVENTORY
OF PIPELINES AND ACCESSORIES.

DRILLING SERVICES

Spacer spool, adapters and flanges.

Spacer spool connectors comply with **API-6A Standard**.

Spacer spools are suitable for wellhead extension, **BOP installation and Choke & Kill Manifold**.



Single Studded Adapter Flanges are used in conjunction with Type **MC1** and **MCP1** Extended Neck Tubing Hangers.

They provide a secondary seal and a test socket to allow the connection to be tested.

ACCESSORIES FOR STANDARD OR SOUR SERVICE

• Elbows • Tee • Yee • Xover • Pup joint integrales • Swivel • Plug valves



WE HAVE CURRENT
CERTIFICATIONS ON:

ISO-9001,
ISO-14001,
ISO-45001

APPLICATIONS

OIL AND GAS

We have the infrastructure to deliver liquid nitrogen in the well or generate the site through membranes with various purities.



- CONTINUOUS PRODUCTION
- STIMULATIONS
- INDUCTIONS
- CEMENTATIONS
- CLEANING

- ENHANCED RECOVERY
- INERTIZED
- PRESSURE AND PRODUCTION TESTS
- SLUDGE LIGHTENING
- TERMINATION

TARE 1300

Single and double high pressure pumping units



NITROGEN INJECTION SUPPLY

- Nitrogen pumping system **180K LN2** capable to pump and vaporize **180,000 SCFH*** at **70** and pressures up to **10,000 PSI** when supplied with liquid nitrogen from a suitable tank.
- Designed and built for onshore and offshore operations.
- Mounted Nitrogen and Vaporization pumping system.
- Materials for the Unit Structure:
Aluminum, Stainless Steel or Carbon Steel.
- Designed to make easier the operation and maintenance.



ISOTANKS WITH CAPACITIES OF:

- **2000** Gallons
- **3000** Gallons
- **5500** Gallons





CAPACITIES

19

Nitrogen injection units.

1.3MM

More than one million cubic meters of Nitrogen storage.

138

Isotanks of various capacities.

6

High Pressure units.

12

Rotary heads.

4

Nitrogen transport Pipes.



CONTACT

+ 52 - 938 173 6778

+ 52 - 938 118 0005

contacto@olamenergy.com

www.olamenergy.com

Av. Edzna No.55, C.P. 24157,
Parque Industrial Carmen
Campeche, México.